

Table 2.11C Tobacco Product Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2011 and 2012

Age Category	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	926	939	900	933	846	882
12	19	16	15	11	9	6
13	30	26	23	20	17	13
14	34	36	28	28	19	18
15	48	42	40	36	32	24
16	52	53	45	44	36	33
17	59	59	52	50	43	41
18	104	117	91	96	75	78
19	101	99	90	89	76	72
20	121	110	94	94	74	78
21	100	103	82	85	70	75
22	109	102	91	87	83	79
23	95	96	79	78	70	68
24	102	89	81	72	71	64
25	105	99	80	78	72	69
26-29	393	391	315	288	286	258
30-34	426	432	300	303	263	276
35-39	416	440	281	308	254	272
40-44	429	410	274	275	242	256
45-49	469	412	311	290	293	280
50-54	610	628	384	398	366	374
55-59	525	605	305	366	284	347
60-64	540	534	269	279	253	267
65 or Older	445	435	338	375	320	354

*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.11D Tobacco Product Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Percentages, 2011 and 2012

Age Category	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.36	0.36	0.35	0.36	0.33	0.34
12	0.50	0.37	0.39	0.27	0.25	0.16
13	0.66	0.62	0.53	0.49	0.39	0.33
14	0.76	0.79	0.62	0.63	0.45	0.42
15	0.96	0.86	0.85	0.77	0.70	0.54
16	0.99	0.98	0.90	0.90	0.75	0.73
17	1.11	1.04	1.04	0.96	0.90	0.82
18	1.18	1.43	1.22	1.27	1.17	1.17
19	1.25	1.35	1.28	1.35	1.30	1.28
20	1.31	1.31	1.31	1.34	1.27	1.31
21	1.27	1.20	1.31	1.31	1.25	1.25
22	1.20	1.17	1.33	1.23	1.30	1.29
23	1.23	1.13	1.37	1.24	1.32	1.21
24	1.17	1.10	1.36	1.23	1.31	1.23
25	1.13	1.15	1.28	1.37	1.29	1.32
26-29	1.14	1.16	1.24	1.19	1.19	1.18
30-34	1.06	1.01	1.16	1.14	1.07	1.10
35-39	1.10	1.20	1.19	1.26	1.12	1.16
40-44	1.16	1.08	1.17	1.17	1.08	1.14
45-49	1.05	1.09	1.14	1.14	1.11	1.11
50-54	1.30	1.48	1.40	1.44	1.36	1.39
55-59	1.45	1.42	1.41	1.50	1.33	1.45
60-64	1.62	1.68	1.35	1.43	1.27	1.38
65 or Older	1.11	1.04	0.84	0.90	0.80	0.85

*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.11P Tobacco Product Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011

Age Category	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.1528		0.8801		0.6014	
12	0.1387		0.0634		0.2193	
13	0.1599		0.2076		0.6260	
14	0.5056		0.3377		0.2693	
15	0.0973		0.0592		0.0036	
16	0.1866		0.1941		0.2057	
17	0.1761		0.1118		0.0477	
18	0.1152		0.0638		0.0348	
19	0.1543		0.1176		0.1332	
20	0.7265		0.7253		0.6312	
21	0.1339		0.9335		0.9337	
22	0.9358		0.6028		0.9231	
23	0.0335		0.0202		0.0212	
24	0.7035		0.8767		0.5553	
25	0.5615		0.8100		0.6488	
26-29	0.9613		0.7761		0.8231	
30-34	0.8994		0.5592		0.5223	
35-39	0.5349		0.3138		0.3763	
40-44	0.2879		0.4779		0.3507	
45-49	0.1327		0.8798		0.7107	
50-54	0.2304		0.2864		0.2332	
55-59	0.7498		0.1341		0.0452	
60-64	0.3219		0.5810		0.4748	
65 or Older	0.2566		0.6984		0.6233	

*Low precision; no estimate reported.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco. Tobacco Product use in the past year excludes past year pipe tobacco use, but includes past month pipe tobacco use.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.12C Cigarette Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2011 and 2012

Age Category	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	927	956	859	890	816	839
12	17	14	13	10	9	6
13	24	21	20	17	13	11
14	31	30	25	23	17	15
15	44	40	35	32	27	20
16	49	49	41	39	33	29
17	54	56	46	46	38	37
18	91	108	79	86	67	70
19	93	91	80	78	67	66
20	106	100	84	82	69	69
21	92	92	73	75	65	66
22	103	96	85	79	75	69
23	90	90	74	70	66	64
24	93	85	73	66	65	60
25	100	97	72	71	64	63
26-29	374	374	287	261	259	237
30-34	414	410	269	281	237	260
35-39	402	427	251	281	229	249
40-44	414	389	229	239	217	227
45-49	448	393	286	268	271	258
50-54	593	601	361	366	351	347
55-59	510	598	262	312	244	301
60-64	526	516	242	258	226	243
65 or Older	458	454	307	341	293	320

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.12D Cigarette Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Percentages, 2011 and 2012

Age Category	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.36	0.37	0.33	0.34	0.32	0.32
12	0.44	0.35	0.34	0.25	0.24	0.15
13	0.55	0.52	0.45	0.41	0.32	0.27
14	0.70	0.68	0.57	0.53	0.40	0.35
15	0.91	0.83	0.76	0.70	0.61	0.46
16	0.96	0.96	0.84	0.83	0.69	0.66
17	1.06	1.03	0.96	0.90	0.82	0.76
18	1.23	1.46	1.23	1.32	1.13	1.12
19	1.30	1.34	1.30	1.30	1.24	1.23
20	1.28	1.31	1.31	1.28	1.23	1.26
21	1.30	1.23	1.28	1.26	1.23	1.23
22	1.22	1.22	1.30	1.23	1.25	1.24
23	1.28	1.18	1.32	1.22	1.28	1.18
24	1.28	1.15	1.30	1.25	1.25	1.20
25	1.21	1.21	1.33	1.33	1.30	1.28
26-29	1.21	1.20	1.22	1.16	1.17	1.12
30-34	1.12	1.07	1.11	1.11	1.00	1.07
35-39	1.21	1.25	1.13	1.21	1.07	1.10
40-44	1.16	1.15	1.06	1.07	1.02	1.05
45-49	1.07	1.14	1.11	1.08	1.06	1.05
50-54	1.34	1.52	1.37	1.34	1.34	1.30
55-59	1.49	1.50	1.28	1.36	1.20	1.33
60-64	1.67	1.70	1.23	1.38	1.16	1.31
65 or Older	1.14	1.08	0.76	0.81	0.73	0.77

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.12P Cigarette Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Age Category	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.0847		0.9761		0.8854	
12	0.3408		0.3507		0.4513	
13	0.2107		0.4403		0.7291	
14	0.2177		0.1693		0.0624	
15	0.2216		0.2210		0.0268	
16	0.0528		0.0407		0.0519	
17	0.0859		0.1748		0.0745	
18	0.5555		0.2916		0.0149	
19	0.0837		0.0068		0.0355	
20	0.4545		0.8934		0.1670	
21	0.4120		0.4989		0.6134	
22	0.5085		0.9266		0.8647	
23	0.0142		0.0294		0.0234	
24	0.9581		0.9550		0.5505	
25	0.9540		0.8064		0.9201	
26-29	0.6212		0.9025		0.8214	
30-34	0.5412		0.3482		0.1333	
35-39	0.3427		0.2657		0.2626	
40-44	0.1400		0.9368		0.9228	
45-49	0.0258		0.5347		0.7905	
50-54	0.0706		0.4674		0.3145	
55-59	0.8663		0.2733		0.1145	
60-64	0.3496		0.5243		0.4941	
65 or Older	0.2293		0.6617		0.7573	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.13C Smokeless Tobacco Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2011 and 2012

Age Category	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	752	705	326	325	278	298
12	9	7	7	5	3	4
13	15	15	11	11	9	6
14	17	19	12	14	7	10
15	26	23	23	17	14	12
16	28	28	23	21	15	17
17	31	30	27	23	17	17
18	55	42	43	32	30	23
19	45	50	33	38	19	25
20	46	49	32	34	25	24
21	49	47	32	30	24	24
22	52	49	34	34	29	29
23	43	53	27	31	21	24
24	47	43	29	27	20	23
25	51	61	31	30	26	24
26-29	194	206	97	109	72	97
30-34	224	212	96	103	84	92
35-39	226	229	110	112	103	99
40-44	241	231	95	120	89	110
45-49	238	212	81	94	76	88
50-54	275	284	102	99	78	95
55-59	240	285	92	101	80	97
60-64	217	214	89	85	81	79
65 or Older	326	305	123	122	117	117

*Low precision; no estimate reported.

NOTE: Smokeless Tobacco includes chewing tobacco or snuff.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.13D Smokeless Tobacco Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Percentages, 2011 and 2012

Age Category	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.29	0.27	0.13	0.13	0.11	0.11
12	0.24	0.18	0.20	0.12	0.08	0.09
13	0.36	0.37	0.27	0.27	0.22	0.15
14	0.39	0.44	0.27	0.34	0.17	0.25
15	0.57	0.52	0.53	0.39	0.32	0.29
16	0.60	0.63	0.50	0.48	0.35	0.38
17	0.70	0.66	0.60	0.52	0.40	0.37
18	1.00	0.89	0.83	0.67	0.59	0.50
19	0.95	1.06	0.73	0.83	0.44	0.57
20	0.98	0.97	0.72	0.75	0.56	0.52
21	0.98	0.98	0.68	0.67	0.53	0.54
22	0.98	0.94	0.69	0.70	0.61	0.61
23	0.96	1.04	0.66	0.69	0.52	0.55
24	1.01	0.93	0.68	0.65	0.48	0.55
25	1.08	1.27	0.71	0.70	0.62	0.58
26-29	0.99	1.03	0.55	0.61	0.42	0.55
30-34	0.99	0.91	0.47	0.50	0.42	0.45
35-39	1.00	0.99	0.54	0.54	0.51	0.49
40-44	1.01	0.98	0.45	0.58	0.42	0.54
45-49	0.97	0.90	0.37	0.44	0.35	0.41
50-54	1.09	1.11	0.44	0.42	0.34	0.41
55-59	1.19	1.21	0.48	0.49	0.42	0.47
60-64	1.09	1.18	0.49	0.50	0.44	0.46
65 or Older	0.81	0.73	0.31	0.29	0.29	0.28

*Low precision; no estimate reported.

NOTE: Smokeless Tobacco includes chewing tobacco or snuff.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.13P Smokeless Tobacco Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011

Age Category	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.4376		0.6922		0.0804	
12	0.2822		0.0828		0.8014	
13	0.5898		0.6339		0.9431	
14	0.8125		0.4505		0.1330	
15	0.2645		0.0117		0.3103	
16	0.9422		0.2558		0.8362	
17	0.2019		0.1645		0.9600	
18	0.0019		0.0085		0.0550	
19	0.4522		0.3907		0.1208	
20	0.5208		0.1486		0.9219	
21	0.3896		0.9048		0.5199	
22	0.0566		0.6048		0.3581	
23	0.0387		0.5841		0.3940	
24	0.4458		0.7865		0.2334	
25	0.8542		0.7021		0.8911	
26-29	0.2026		0.3649		0.0481	
30-34	0.0249		0.3384		0.3617	
35-39	0.1107		0.6490		0.8478	
40-44	0.9737		0.0111		0.0163	
45-49	0.4261		0.1528		0.1841	
50-54	0.8778		0.8620		0.3665	
55-59	0.6242		0.8578		0.8239	
60-64	0.9341		0.9581		0.7460	
65 or Older	0.2367		0.7210		0.7878	

*Low precision; no estimate reported.

NOTE: Smokeless Tobacco includes chewing tobacco or snuff.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.14C Cigar Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2011 and 2012

Age Category	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	920	882	504	511	373	388
12	12	7	10	5	5	3
13	18	15	14	10	10	6
14	21	21	18	18	10	10
15	34	27	29	23	19	11
16	36	36	31	28	20	18
17	43	42	35	36	25	21
18	75	74	63	62	42	42
19	70	72	57	63	39	45
20	92	84	65	63	43	39
21	78	76	56	57	35	43
22	76	79	53	55	38	38
23	69	76	46	47	33	30
24	80	67	53	46	36	30
25	76	71	49	45	29	30
26-29	301	287	192	173	144	135
30-34	324	314	152	166	108	110
35-39	320	316	139	159	105	111
40-44	294	293	156	140	101	103
45-49	309	289	143	148	87	107
50-54	421	424	187	178	142	133
55-59	361	411	155	207	124	177
60-64	344	351	135	149	98	92
65 or Older	417	413	170	135	137	105

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.14D Cigar Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Percentages, 2011 and 2012

Age Category	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.36	0.34	0.20	0.20	0.14	0.15
12	0.33	0.17	0.27	0.13	0.14	0.07
13	0.43	0.37	0.32	0.24	0.23	0.15
14	0.48	0.49	0.40	0.42	0.24	0.24
15	0.74	0.60	0.64	0.53	0.43	0.25
16	0.74	0.75	0.66	0.63	0.44	0.43
17	0.88	0.91	0.73	0.80	0.57	0.47
18	1.15	1.13	1.03	1.04	0.76	0.79
19	1.17	1.30	1.05	1.18	0.82	0.92
20	1.40	1.32	1.12	1.17	0.83	0.83
21	1.30	1.22	1.08	1.11	0.73	0.88
22	1.28	1.24	1.05	1.01	0.79	0.78
23	1.26	1.29	1.02	0.98	0.76	0.66
24	1.35	1.21	1.07	1.01	0.78	0.70
25	1.28	1.35	1.06	1.00	0.68	0.70
26-29	1.28	1.22	0.98	0.91	0.77	0.76
30-34	1.15	1.12	0.73	0.77	0.54	0.53
35-39	1.25	1.23	0.69	0.77	0.53	0.55
40-44	1.13	1.12	0.72	0.66	0.49	0.50
45-49	1.10	1.08	0.63	0.66	0.40	0.49
50-54	1.48	1.48	0.80	0.74	0.61	0.56
55-59	1.55	1.50	0.79	0.94	0.64	0.82
60-64	1.53	1.61	0.72	0.86	0.53	0.54
65 or Older	1.04	0.99	0.42	0.32	0.34	0.25

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.14P Cigar Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: *P* Values from Tests of Differences of Percentages, 2012 Versus 2011

Age Category	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.5603		0.5579		0.4289	
12	0.0037		0.0139		0.0865	
13	0.0573		0.0499		0.5193	
14	0.4057		0.9275		0.9431	
15	0.0162		0.0438		0.0007	
16	0.9766		0.3113		0.7991	
17	0.3163		0.1393		0.0003	
18	0.6965		0.6185		0.8198	
19	0.7175		0.6101		0.3982	
20	0.9615		0.9454		0.8166	
21	0.4849		0.8230		0.9778	
22	0.6229		0.3220		0.4055	
23	0.6416		0.4867		0.2970	
24	0.6318		0.3638		0.8312	
25	0.5819		0.7641		0.3741	
26-29	0.4596		0.6670		0.5812	
30-34	0.2827		0.3080		0.8859	
35-39	0.3918		0.0455		0.0889	
40-44	0.7443		0.9046		0.7548	
45-49	0.8085		0.8784		0.1664	
50-54	0.4311		0.8486		0.8553	
55-59	0.8564		0.0427		0.0279	
60-64	0.4272		0.9910		0.7514	
65 or Older	0.6007		0.2591		0.3294	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.15C Alcohol Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2011 and 2012

Age Category	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	684	675	984	955	1,006	1,016
12	22	25	17	22	12	9
13	39	32	32	28	16	17
14	44	49	37	44	24	30
15	64	55	57	48	36	31
16	67	64	63	57	41	40
17	73	74	66	69	47	52
18	126	140	120	136	94	115
19	121	125	114	122	96	94
20	139	126	135	122	117	104
21	117	120	115	118	106	108
22	135	118	132	116	117	106
23	107	112	99	107	89	97
24	119	104	115	100	105	89
25	120	109	115	104	103	99
26-29	446	456	416	435	371	385
30-34	468	470	431	441	371	389
35-39	492	492	450	461	410	414
40-44	484	469	454	443	407	386
45-49	509	485	451	425	385	380
50-54	690	697	609	627	546	564
55-59	601	684	520	587	459	516
60-64	593	599	532	530	462	466
65 or Older	376	391	488	506	486	483

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.15D Alcohol Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: Standard Errors of Percentages, 2011 and 2012

Age Category	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.27	0.26	0.38	0.37	0.39	0.39
12	0.57	0.60	0.45	0.52	0.31	0.23
13	0.82	0.74	0.70	0.65	0.38	0.42
14	0.91	0.98	0.80	0.92	0.55	0.67
15	1.08	1.01	1.05	0.97	0.77	0.68
16	1.00	1.07	1.06	1.06	0.83	0.86
17	1.12	1.09	1.14	1.11	0.97	0.98
18	1.21	1.22	1.29	1.30	1.29	1.44
19	1.13	1.22	1.27	1.36	1.39	1.36
20	1.08	1.04	1.27	1.18	1.40	1.41
21	0.94	0.84	1.02	0.94	1.26	1.23
22	0.84	0.76	1.02	0.88	1.23	1.23
23	0.77	0.74	1.08	1.02	1.24	1.15
24	0.82	0.69	1.04	0.93	1.33	1.19
25	0.73	0.78	0.98	1.01	1.21	1.30
26-29	0.75	0.72	1.04	0.96	1.20	1.26
30-34	0.74	0.73	1.00	0.95	1.09	1.10
35-39	0.76	0.82	1.03	1.08	1.21	1.26
40-44	0.72	0.77	1.01	1.04	1.21	1.17
45-49	0.76	0.68	1.07	1.01	1.19	1.13
50-54	0.93	0.98	1.25	1.32	1.40	1.46
55-59	1.07	1.14	1.62	1.61	1.71	1.68
60-64	1.23	1.14	1.64	1.75	1.75	1.83
65 or Older	0.94	0.93	1.21	1.21	1.21	1.15

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.15P Alcohol Use in Lifetime, Past Year, and Past Month, by Detailed Age Category: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Age Category	Lifetime (2011)	Lifetime (2012)	Past Year (2011)	Past Year (2012)	Past Month (2011)	Past Month (2012)
TOTAL	0.7993		0.2667		0.5527	
12	0.5962		0.8871		0.2631	
13	0.0161		0.0979		0.9815	
14	0.8072		0.9398		0.2486	
15	0.0260		0.1633		0.2100	
16	0.0273		0.1314		0.5288	
17	0.4847		0.2564		0.7602	
18	0.5926		0.5403		0.7106	
19	0.5252		0.9925		0.4073	
20	0.8577		0.4161		0.2674	
21	0.8968		0.7351		0.9741	
22	0.8311		0.1701		0.9466	
23	0.9557		0.9705		0.3531	
24	0.6601		0.8174		0.7861	
25	0.6151		0.8224		0.7962	
26-29	0.2185		0.0975		0.3442	
30-34	0.9373		0.7567		0.8831	
35-39	0.5851		0.9874		0.3727	
40-44	0.1431		0.8812		0.1209	
45-49	0.0417		0.0783		0.0557	
50-54	0.8981		0.5868		0.5396	
55-59	0.7991		0.9717		0.8690	
60-64	0.3317		0.5685		0.3889	
65 or Older	0.7086		0.6227		0.5932	

*Low precision; no estimate reported.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.16C Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month, by Detailed Age Category: Standard Errors of Numbers in Thousands, 2011 and 2012

Age Category	Alcohol Use (2011)	Alcohol Use (2012)	Binge Alcohol Use (2011)	Binge Alcohol Use (2012)	Heavy Alcohol Use (2011)	Heavy Alcohol Use (2012)
TOTAL	1,006	1,016	734	797	423	448
12	12	9	8	6	1	1
13	16	17	10	12	1	5
14	24	30	16	18	4	4
15	36	31	25	22	10	7
16	41	40	30	30	14	14
17	47	52	35	41	16	18
18	94	115	72	81	37	30
19	96	94	71	75	37	44
20	117	104	102	89	56	48
21	106	108	85	87	46	47
22	117	106	90	84	42	48
23	89	97	74	76	38	39
24	105	89	80	71	39	33
25	103	99	81	80	35	52
26-29	371	385	268	276	145	132
30-34	371	389	265	281	152	144
35-39	410	414	247	253	115	129
40-44	407	386	250	256	109	139
45-49	385	380	246	234	128	118
50-54	546	564	294	357	151	190
55-59	459	516	267	270	115	138
60-64	462	466	235	216	123	121
65 or Older	486	483	254	266	110	136

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.16D Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month, by Detailed Age Category: Standard Errors of Percentages, 2011 and 2012

Age Category	Alcohol Use (2011)	Alcohol Use (2012)	Binge Alcohol Use (2011)	Binge Alcohol Use (2012)	Heavy Alcohol Use (2011)	Heavy Alcohol Use (2012)
TOTAL	0.39	0.39	0.29	0.31	0.16	0.17
12	0.31	0.23	0.22	0.14	0.03	0.02
13	0.38	0.42	0.23	0.29	0.03	0.13
14	0.55	0.67	0.38	0.41	0.10	0.09
15	0.77	0.68	0.56	0.49	0.24	0.18
16	0.83	0.86	0.65	0.66	0.31	0.34
17	0.97	0.98	0.76	0.81	0.37	0.40
18	1.29	1.44	1.16	1.17	0.71	0.59
19	1.39	1.36	1.21	1.25	0.76	0.89
20	1.40	1.41	1.55	1.46	1.06	0.96
21	1.26	1.23	1.39	1.37	0.94	0.97
22	1.23	1.23	1.40	1.34	0.90	0.94
23	1.24	1.15	1.37	1.24	0.87	0.79
24	1.33	1.19	1.36	1.26	0.85	0.77
25	1.21	1.30	1.40	1.40	0.81	1.14
26-29	1.20	1.26	1.20	1.24	0.77	0.72
30-34	1.09	1.10	1.12	1.10	0.75	0.68
35-39	1.21	1.26	1.04	1.13	0.55	0.64
40-44	1.21	1.17	1.05	1.05	0.51	0.66
45-49	1.19	1.13	0.99	0.97	0.57	0.53
50-54	1.40	1.46	1.14	1.35	0.64	0.79
55-59	1.71	1.68	1.26	1.18	0.59	0.65
60-64	1.75	1.83	1.20	1.22	0.66	0.71
65 or Older	1.21	1.15	0.63	0.64	0.27	0.33

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.

Table 2.16P Alcohol Use, Binge Alcohol Use, and Heavy Alcohol Use in the Past Month, by Detailed Age Category: P Values from Tests of Differences of Percentages, 2012 Versus 2011

Age Category	Alcohol Use (2011)	Alcohol Use (2012)	Binge Alcohol Use (2011)	Binge Alcohol Use (2012)	Heavy Alcohol Use (2011)	Heavy Alcohol Use (2012)
TOTAL	0.5527		0.4605		0.0933	
12	0.2631		0.2780		0.4662	
13	0.9815		0.9880		0.0246	
14	0.2486		0.2750		0.6342	
15	0.2100		0.1372		0.0341	
16	0.5288		0.7990		0.4545	
17	0.7602		0.8759		0.4524	
18	0.7106		0.4345		0.2008	
19	0.4073		0.6973		0.2957	
20	0.2674		0.5008		0.4887	
21	0.9741		0.3490		0.5535	
22	0.9466		0.8745		0.8792	
23	0.3531		0.1705		0.6296	
24	0.7861		0.9482		0.7031	
25	0.7962		0.5570		0.0147	
26-29	0.3442		0.7365		0.0697	
30-34	0.8831		0.8818		0.6801	
35-39	0.3727		0.1881		0.0193	
40-44	0.1209		0.4752		0.0300	
45-49	0.0557		0.6682		0.3078	
50-54	0.5396		0.0743		0.4280	
55-59	0.8690		0.4685		0.5511	
60-64	0.3889		0.9253		0.9304	
65 or Older	0.5932		0.8344		0.5036	

*Low precision; no estimate reported.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all heavy alcohol users are also binge alcohol users.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2011 and 2012.